



Roll Towel Dispenser







CONFIDENCE BY DESIGN

Automatic Roll Towel Dispenser

Elevate your space with the latest advancement in reliable towel dispensing. The Kimberly-Clark ProfessionalTM ICONTM collection offers a coordinated range of paper towel, toilet tissue, and skincare dispensers to give your facility a unified style. Thoughtfully engineered with an eye on aesthetics, the collection refines every interaction of the dispensing experience.

The quietest towel dispensing experience on the market today¹.










Surface mount

Effortlessly reimagine the look and feel of your restroom.

Engineered to meet the installation needs of your unique space, Kimberly-Clark ProfessionalTM ICONTM dispensers are designed to stand out in a crowd or seamlessly blend into the environment.

The ICON™ collection—the culmination of intuitive design and clever engineering.







Game-changing hygiene

The Kimberly-Clark Professional ICON™ dispenser is designed with a goal to reduce the potential of cross contamination. Taking into account every interaction, the ICON™ dispenser is a next-level hygiene experience engineered to help minimize the risk of spreading germs from every touchpoint.

94% of people surveyed responded that touchless hand towel systems were important to establishing confidence in the cleanliness and hygiene of a facility.

- Kimberly-Clark Professional, Hygiene Behavior Consumer Study, May 2020



Touchless dispensing

Help reduce the risk of spreading germs with contactless dispensing.



Color-coded touch-points

An intuitive color-coded system simplifies maintenance and minimizes touchpoints, for a more hygienic paper towel change-over.



Hidden towel mode

Help minimize the chance for crosscontamination with an option to keep paper inside the dispenser until needed



REFINED TECHNOLOGY

Elevated experience

Relying on Kimberly-Clark Professional's 150-year history in innovation, the ICON™ hand towel dispenser delivers our most technologically advanced system available today.

"4 out of 5 people rated the Kimberly-Clark Professional™ ICON™ dispenser system better than the leading competition for hand drying satisfaction."



Streamlined dispensing

Precision detection from patented dual sensors provides effortless operation with a single motion.



Nearly noiseless operation

With practically noiseless operation, ICON™ hand towel dispenser is 85% quieter than the leading competition.¹



Intuitive visual cues

LED lights communicate when a unit needs attention, minimizing touchpoints for an improved, more hygienic experience.

PERFORMANCE

Unmatched reliability

The Kimberly-Clark Professional™ ICON™ dispenser utilizes direct drive technology and patented dual sensors for 99.99% jam-free dispensing with nearly noiseless operation for a truly user-centered experience.



Comprehensive Lifetime Warranty† for our ICON™ dispenser collection

Proudly offered by Kimberly-Clark Professional®





Jam-free operation

Proven 99.99% jam-free performance to ensure paper towels are available when needed.²



100% product use

Minimize waste with stub roll capability that enables restocking before the roll is empty, streamlining maintenance.



Long-lasting battery life

Get more than 150,000 dispenses on a single set of batteries in the energy efficient ICONTM hand towel dispenser.





SERVICING

Designed to be effortless

Engineered with you in mind, every detail is refined for an unsurpassed experience, from the ergonomics to the seamless operation, redefining intuitive design.

Other dispensers are designed around paper.

The ICON™ dispenser is designed around you.



The Kimberly-Clark Professional™ ICON™ hand towel dispenser is our best servicing experience yet.



Flexible accessibility options

Versatile security options of keyed or keyless entry, and the choice of left or right lock location for easier access.



Controlled opening

Sophisticated dampened hinges make changeouts effortless, with smooth, one-handed operation.



Simplified installation

Custom engineered brackets make installation a snap with a built-in level and clip-on mounting.






REFINED MAINTENANCE

Touch panel simplicity

The easy-to-read touch panel is designed for intuitive servicing while preventing accidental setting adjustments.



CONTROLS

Lock-out feature

Prevents accidental setting changes. Hold button for 3 seconds to unlock.

Towel length

Select from 3 sheet length options: 10" (25.5cm), 12" (30.5cm) and 14" (35.5cm)

Sensor sensitivity/Hanging mode

Set towel in hidden or hanging mode and adjust sensor to 2 levels of sensitivity.

Feed paper

Manually feed paper with a touch of a button for refined reloading.

INDICATOR LIGHTS

- 4 Low paper/ No paper
- Paper jam
- 6 Low battery

SERVICER ALERT LED

8 Blue - low paper alert Red - Maintenance alert







Designer faceplates

Our first patented, interchangeable faceplate innovation. Engineered for quick and easy faceplate swapping with a secure snap-in feature. Refresh the look and feel of the restroom with 6 designer faceplate options.


ICONIC STYLE

Natural Accents

Choose from a unique selection of faceplates designed to add a natural accent to your restroom environment. Current designs include a warm marble, cherry blossom and a deep, authentic, ebony woodgrain.









Silver Mosaic

A modern take on a traditional metallic finish that provides depth and interest.


White Mosaic


A subtle, clean pattern that offers visual depth with a modern approach.

ICONIC STYLE

Contemporary Classics

Our range of contemporary classic faceplates offer a practical, yet modern, take on traditional black, white and silver finishes. Subtle, geometric patterning adds depth and style to conventional color finishes.





CUSTOM FACEPLATES

Endless possibilities

Envision a space for creative expression as well as unique promotional and design opportunities, and untap branding and advertising potential with an innovative messaging platform.







OVERVIEW

ICON™ Automatic Roll Towel Dispenser - Wall Mount

Dimensions (WxHxD)

Qty/Case

12.41" x 16.53" x 10.19" 31.5cm x 42cm, 25.88cm 1x

16.53" (42cm) 10.19" (25.88cm)

12.41" (31.5cm)

Lifetime Warranty †


TECHNICAL SPECIFICATIONS

Suggested mounting height is 48" (122cm) from the floor or 12" (30.5cm) above a counter.

Required clearance

16.53" (42cm) x 12.41" (31.5cm) flat space 2.75" (7cm) on either side

When installed properly and used with the corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary.





DISPENSER PRODUCT CODES

Black Mosaic (58720)

Silver Mosaic (53691)

White Mosaic (58710)

Ebony Woodgrain (58750)


Cherry Blossom (58730)

Warm Marble (58740)

To create and order custom faceplates please follow this <u>link</u>.

PRODUCT FEATURES





LED lights communicate when a unit needs attention, minimizing touchpoints for an improved experience.

Proven 99.99% jam-free performance to ensure paper towels are available when needed.

Stub roll capability enables restocking before the roll is empty, streamlining maintenance.

Long-lasting battery life, single set of batteries can last for more than 150,000 dispenses²

Versatile security options of keyed or keyless entry, and the choice of left or right lock location for easier access.

Sophisticated dampened hinges make changeouts effortless, with smooth, one-handed operation.

© Color-coded system simplifies maintenance and minimizes touchpoints, for a more hygienic paper towel change-over.







OVERVIEW

ICON™ Automatic Roll Towel Dispenser | Recessed


Dimensions (WxHxD)


Qty/Case

13.50" x 17.91" x 6.52" 1x 34.29cm x 45.49cm, 16.56cm



Stainless Steel (53706)





MOUNTING SPECIFICATIONS

Suggested mounting height is 48" (122cm) from the floor.


When installed properly and used with the corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary.


Rough Wall Opening

11" (28cm) Wide 15" (38cm) High

4" (10cm) Minimum Depth








PRODUCT FEATURES





LED lights communicate when a unit needs attention, minimizing touchpoints for an improved experience.

Proven 99.99% jam-free performance to ensure paper towels are available when needed.

Stub roll capability enables restocking before the roll is empty, streamlining maintenance.

Long-lasting battery life, single set of batteries can last for more than 150,000 dispenses²

Versatile security options of keyed or keyless entry, and the choice of left or right lock location for easier access.

Sophisticated dampened hinges make changeouts effortless, with smooth, one-handed operation.

© Color-coded system simplifies maintenance and minimizes touchpoints, for a more hygienic paper towel change-over.







OVERVIEW

ICON™ Automatic Roll Towel Dispenser | Narrow Recessed

Dimensions (WxHxD)


Qty/Case

13.50" x 17.91" x 6.52" 1x 34.29cm x 45.49cm, 16.56cm



Stainless Steel (53697)

Lifetime Warranty †



MOUNTING SPECIFICATIONS


Suggested mounting height is 48" (122cm) from the floor.


When installed properly and used with the corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary.


Rough Wall Opening

11" (28cm) Wide 15" (38cm) High

4" (10cm) Minimum Depth








PRODUCT FEATURES





LED lights communicate when a unit needs attention, minimizing touchpoints for an improved experience.

Proven 99.99% jam-free performance to ensure paper towels are available when needed.

Stub roll capability enables restocking before the roll is empty, streamlining maintenance.

Long-lasting battery life, single set of batteries can last for more than 150,000 dispenses²

Versatile security options of keyed or keyless entry, and the choice of left or right lock location for easier access.

Sophisticated dampened hinges make changeouts effortless, with smooth, one-handed operation.

© Color-coded system simplifies maintenance and minimizes touchpoints, for a more hygienic paper towel change-over.







3.53"

(9cm)

OVERVIEW

ICON™ Automatic Roll Towel Dispenser | Recessed with Trim

Dimensions (WxHxD)


Qty/Case

17.64" x 22" x 6.52" 1 44.8cm x 55.88cm, 16.56cm



Stainless Steel (53699)






MOUNTING SPECIFICATIONS


Suggested mounting height is 48" (122cm) from the floor.

When installed properly and used with the corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary.

Rough Wall Opening

- 11" (28cm) Wide
- 15" (38cm) High
- 4" (10cm) Minimum Depth






PRODUCT FEATURES

3





LED lights communicate when a unit needs attention, minimizing touchpoints for an improved experience.

Proven 99.99% jam-free performance to ensure paper towels are available when needed.³

Stub roll capability enables restocking before the roll is empty, streamlining maintenance.

Long-lasting battery life, single set of batteries can last for more than 150,000 dispenses²

Versatile security options of keyed or keyless entry, and the choice of left or right lock location for easier access.

Sophisticated dampened hinges make changeouts effortless, with smooth, one-handed operation.

© Color-coded system simplifies maintenance and minimizes touchpoints, for a more hygienic paper towel change-over.










Hard Roll Towels

To learn more about bundles, please contact your Kimberly-Clark Professional Sales Representative or visit www.KCProfessional.com





- FSC® Certified
- ✓ Meets EPA Guidelines, minimum post-consumer waste content: towels 40%
- NSF® Registered











t Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSOR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's inability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms byverbal agreement or by any writing not signed by K-C.

To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

*For paper towel and Skincare dispensers, suggested mounting height is 48" from the floor or 12" above a counter to the bottom of the dispenser. When installed properly and used with the corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary. For toilet paper dispensers, suggested mounting height for the outlet of the dispenser is 15" minimum and 48" maximum above the floor. Mount the toilet paper dispensers to be 7 inches minimum and 9 inches maximum in front of the water closet measured to the center line of the dispenser. When installed properly and used with corresponding product, this dispenser meets ADA Standard 28 CFR Part 36, local rules may vary.